

铰链系列  
HINGE SERIES


---

Gaavin 嘉音




## CL203-1

材料及表面处理：灰色锌合金铰链；尼龙垫片  
Material & Finishing: Grey powder coated zinc die-casting hinge'nylon washer.





## CL203-2

材料及表面处理：黑色锌合金铰链，尼龙垫圈  
Material & Finishing: Black painting coated zinc die-casting hinge, nylon washer.



## CL209-1


材质及表面处理Material and treatment;  
1. 锌合金黑色铰链Zinc alloy black coated hinge,  
2. 镀镍钢销子Nickel plated steel pin  
-最大静载荷参数Maximum static load parameters:  
1. B2203-1轴向载荷Axial load:1900N, 径向载荷Radial load:1300N  
2. B2203-2轴向载荷Axial load:1300N, 径向载荷Radial load:1000N



拉手铰链 Slider hook	不锈钢铰链 Stainless steel hinge	连杆铰链 Connecting rod	拉手铰链 Handle hook	电脑铰链 Computer hook	超形铰链 Super hinge	平面铰链 Flat hinge	自动复位铰链 Resetting machine hook	厚板铰链 Thick plate	挂杆铰链 Hanger hook	铰链 Hinge	拉生铰链 Latching hinge	限位铰链 Limiting hinge
---------------------	--------------------------------	------------------------	---------------------	-----------------------	---------------------	--------------------	----------------------------------	---------------------	---------------------	-------------	------------------------	------------------------



## CL209-2

材质及表面处理Material and treatment;  
1. 锌合金黑色铰链Zinc alloy black coated hinge,  
2. 镀镍钢销子Nickel plated steel pin  
最大静载荷参数Maximum static load parameters:  
1. B2203-3轴向载荷Axial load:1600N, 径向载荷Radial load:1200N  
2. B2203-4轴向载荷Axial load:1200N, 径向载荷Radial load:900N






## CL209-3

材质及表面处理Material and treatment:  
1. 锌合金黑色铰链Zinc alloy black coated hinge,  
2. 镀镍钢销子Nickel plated steel pin  
-最大静载荷参数Maximum static load parameters;  
1. B2204-1轴向载荷Axial load:1000N, 径向载荷Radial load:800N



## CL209-4

材质及表面处理Material and treatment:  
1. 锌合金黑色铰链Zinc alloy black coated hinge,  
2. 镀镍钢销子Nickel plated steel pin  
-最大静载荷参数Maximum static load parameters:  
1. B2207-1轴向载荷Axial load:1300N 径向载荷Radial load:1110N



**D** 开启方向/open direction  
**R** 右开门/right open  
**L** 左开门/left open

铰链系列
不锈钢
不锈钢
连杆轴
杆轴
由轴
超轴
平面轴
自动轴
厚轴
挂轴
铰链
杆轴
附件






## CL211

材质及表面处理Material and treatment:

1. 锌合金砂铬铰链顶 Zinc alloy sand chrome hinge seat
2. 拉丝不锈钢盖板 Brushed stainless steel cover
3. 不锈钢销子 Stainless steel pin

-最大静载荷参数 Maximum static load parameters:

1. B2214-1轴向载荷 Axial load: 1600N, 径向载荷 Radial load: 1800N
2. B2214-2轴向载荷 Axial load: 1200N, 径向载荷 Radial load: 1500N
3. B2214-3轴向载荷 Axial load: 900N, 径向载荷 Radial load: 1050N






注: 安装时卸掉面板用螺钉固定;  
Note: Uninstalled the cover before installation screws

## CL212

材质及表面处理Material and treatment:

1. 锌合金黑色铰链 Zinc alloy black coated hinge,
  2. 不锈钢销子 Stainless steel pin
- 最大静载荷参数 Maximum static load parameters:
1. 轴向载荷 Axial load: 500N
  2. 径向载荷 Radial load: 580N





门板开孔  
Door cut out

把手铰链	Smart Hinge
不锈钢铰链	Stainless Hinge
连杆铰链	Connector Hinge
扣手铰链	Handle Hinge
电锁铰链	Commutator Hinge
智能铰链	Smart Hinge
平面铰链	Flat Hinge
自动复位铰链	Resetting Hinge
房友铰链	Room Hinge
挂杆铰链	Handle Hinge
铰链	Hinge
拉手	Handle
配件	Accessories

## CL213

材质及表面处理Material and treatment:




1. 锌合金黑色铰链Zinc alloy black coated hinge,
  2. 镀镍钢销子Nickel plated steel pin
- 最大静载荷参数Maximum static load parameters:  
1. 轴向载荷Axial load:800N  
2. 径向载荷Radial load:850N



## CL214

材质及表面处理Material and treatment:

1. 锌合金镀铬铰链Zinc alloy chrome plated static hinge,
  2. 镀镍钢销子Nickel plated steel pin
- 最大静载荷参数Maximum static load parameters:  
B2218-1轴向载荷Axial load:300N, 径向载荷Radial load:260N  
B2218-2轴向载荷Axial load:600N, 径向载荷Radial load:350N






铰链柄 Shaft end	不锈钢 Stainless steel	连杆柄 Connecting rod	拉手柄 Handle box	电锁柄 Computer lock	超形柄 Special handle	立型柄 Full lock	白铝压铸柄 Wet casting machine tool	厚壳柄 Full lock	挂扣柄 Handle lock	铰链 Hinge	拉手 Handle	配件 Accessories
------------------	------------------------	-----------------------	-------------------	----------------------	-----------------------	------------------	-----------------------------------	------------------	--------------------	-------------	--------------	-------------------

## CL215

材质及表面处理Material and treatment;


1. 锌合金黑色铰链Zinc alloy black coated hinges,
  2. 镀锌钢销子galvanized steel pin
- 最大静载荷参数Maximum static load parameters
1. 轴向载荷Axial load:950N
  2. 径向载荷Radial load:1000N



## CL217


材质及表面处理Material and treatment:

1. 镀锌钢铰链galvanized steel hinge
  - 最大静载荷参数Maximum static load parameters:
1. 轴向载荷Axial load:300N
  2. 径向载荷Radial load:200N




## CL219

材料及表面处理: 黑色锌合金铰链; 镀锌钢销子; 橡胶密封圈  
Material & Finishing: Black painting coated zinc die-casting hinge, zinc plated steel pin, rubber gasket.



## CL219-1


材质: 不锈钢(SUS304)  
表面处理: 镜光  
特点:  
采用不锈钢材质, 耐腐蚀性优异  
Material:Stainlesssteel(SUS304)  
Finish:Bright polishing  
Features:  
Stainless steel material, excellent performance



产品名称	材质	表面处理	A	B	C	D	E	F	G	H	J	K	L	M	负载(KG)
CL219-1铰链	SUS304	镜光	8	20	M5	35	45	60	50	18	8	11	14	18	40
CL219-2铰链	SUS304	镜光	4	13	M4	22	22	30	22	13	5	8	10	9	35
CL219-3铰链	SUS304	镜光	4	18.5	M4	27.5	22	30	22	13	5	8	10	14.5	30


## CL219-2

材质: 锌合金  
表面处理: 亮铬、喷油、珍珠铬等  
适用范围: 金属、非金属机箱机柜等  
Material: Zinc-alloy  
Surface treatment: Bright chrome plating, blacking painting, pearl chrome plating and etc.  
Applicability: Metal or nonmetal case, cabinet and etc.




## CL220

材料及表面处理: 不锈钢合页、销子  
Material & finishing:Stainless steel hinge and pin.



## CL225

材料及表面处理: 镀锌钢附件; 镀锌圆钢销子  
Material & Finishing: zinc plated steel fixed hinge and steel round pin.





拉手铰链 Screw-in lock	不锈钢铰链 Stainless steel hinge	连杆铰链 Connecting rod	拉手铰链 Handle lock	电锁铰链 Computer lock	超能铰链 Smart lock	平盖铰链 Flat lock	自动撞杆铰链 Welding machine lock	房车铰链 RV lock	挂杆铰链 Hanger lock	铰链 Hinge	扣手 Handle	配件 Attachment
-----------------------	--------------------------------	------------------------	---------------------	-----------------------	--------------------	-------------------	--------------------------------	-----------------	---------------------	-------------	--------------	------------------





## CL237

材料及表面处理: 喷砂镀锌合金铰链; 镀锌碳钢附件  
Material & Finishing: zinc plated steel fixed hinge and steel round pin



## CL237-1


材质: 不锈钢(SUS304)  
表面处理: 抛光  
特点:  
全不锈钢实心铸造, 承重性强  
采用不锈钢材质, 耐腐蚀性优异  
Material:Stainless Steel(SUS304)  
Finish: Wiredrawing Polishing  
Features:  
All stainless steel solid casting, strong weight multiplication  
Stainless steel material, excellent performance



产品名称	材质	表面处理	负载(KG)	备注
CL237暗铰链	SUS304	抛光	35	其它材质与表面处理可定制


## CL246

材料及表面处理: 镀锌锌合金铰链; 镀锌钢销子  
Material & Finishing: zinc plated zinc die-casting hinge, zinc plated steel pin.



## CL251


材料及表面处理  
合页: 精铸不锈钢, 钢拉丝  
销子: 不锈钢  
用途: 外装式铰链, 四螺钉固定, 适用于配电柜、通信柜、仪表箱、控制箱等各类机箱机柜。  
Material & Surface treatment:  
Hinge: Precision Casting Stainless Steel, wire drawing;  
Pin: Stainless Steel  
Applicability: External mounted hinge, mounted by 4screws. suitable with Metal or nonmetal cabinet, Power Distribution Cabinet, Telecommunication Cabinet, Instrument Box, Control Box and other kinds of industrial cabinet.



把手铰链 Stainless Steel	不锈钢铰链 Stainless Steel	连杆铰链 Connecting Pin	井字铰链 Handed Lock	电锁铰链 Computer Lock	超形铰链 Steel Lock	平面铰链 Flat Lock	白铜铰链 White Metal Lock	厚壳铰链 Reinforced	插销铰链 Interlocking	铰链 Hinge	拉生 Handle	零件 Attachment
-------------------------	--------------------------	------------------------	---------------------	-----------------------	--------------------	-------------------	--------------------------	--------------------	----------------------	-------------	--------------	------------------


## CL289

材质: 不锈钢SUS304  
表面处理: 拉丝、镜光  
特点:  
不锈钢盖板, 安装后无安装痕迹  
表面高档大气  
带强阻尼效果, 适用于重型门  
Material:Stainlesssteel(SUS304、SUS316)•Finish: Bright Polishing  
Features:  
Stainless steel cover plate, no installation trace after installation  
Surface high-grade atmosphere



## CL290



材质: 不锈钢SUS304  
表面处理: 振光  
特点:  
铰链扭矩使用范围内可保持180度内任意位置  
有三种规格可选  
Material:Stainlesssteel(SUS304)  
Finish: Wiredrawing Polishing  
Features:  
The hinge torque can be maintained at any position within 180 degrees  
Three specifications are available



名称	L	L1	W	W1	T	E	R	阻尼扭力值(N.m)	备注
A款蝶形阻尼铰链-32	32	18	36	21	1.2	4.25	7.5	0.5	扭力值范围可以定制
A款蝶形阻尼铰链-40	40	26	48	32	1.2	4.75	8.5	0.7	
A款蝶形阻尼铰链-50	50	36	48	32	2	6.5	12	1.5	

## CL291

材质: 不锈钢SUS304  
表面处理: 拉丝  
特点:  
多种阻尼, 可调扭矩转轴  
合开手感更加平滑顺畅  
有四种规格可选  
Material:Stainlesssteel(SUS304)  
Finish: Wiredrawing Polishing  
Features:  
Multiple damping, adjustable torque shaft•The closing and opening feel is smoother and smoother  
Four specifications are available




产品名称	L	L1	W	W1	T	D	D1
蝶形阻尼铰链-20	20	10	25	16	1.5	2.4	6
蝶形阻尼铰链-25	25	13	32	20	1.5	3.5	6
蝶形阻尼铰链-40	40	25	40	25	2	5.2	10
蝶形阻尼铰链-50	40	34	44	28	2	4	8.4

把手铰链 Shaft Hinge
才铰链 Stainless Steel
连杆铰链 Connecting Rod
井字铰链 Hand Hinge
电筒铰链 Candlestick
超形铰链 Super Hinge
平面铰链 Flat Hinge
自动复位铰链 Resetting Hinge
房铰链 Room Hinge
挂扣铰链 Hook Hinge
铰链 Hinge
拉生 Handle
配件 Accessories



## CL9002


材质: 不锈钢SUS304、SUS316  
表面处理: 镜光、拉丝  
特点:  
最大开启角度180度  
小尺寸而承重性能强  
铰链耳朵之间装有塑胶衬套, 降低摩擦, 减少金属粉尘, 带有微阻尼效果。  
Material:Stainlesssteel(SUS304、SUS316)  
Finish: Bright Polishing  
Features:  
Maximum opening angle 180 degrees  
Small size and strong load-bearing performance



产品名称	A1	A2	A3	A4
60*50*4衬套铰链	25	25	16	16
60*64*4衬套铰链	32	32	21	21


## CL9003

材质: 不锈钢SUS304、SUS316  
表面处理: 镜光、拉丝  
特点:  
安装方便快捷  
可拆卸设计  
Material: Stainless steel(SUS304、SUS316)•Finish: Bright Polishing; Wiredrawing Polishing Features:  
Easy and fast installation  
Removable design




## CL9004

材质: 不锈钢(SUS304、SUS316)  
表面处理: 拉丝、镜光  
特点:  
安装方便快捷  
左右两种型号可选  
Material:Stainlesssteel(SUS304、SUS316)•Finish: Wiredrawing Polishing; Bright Polishing Features:  
easy and quick to install  
Left and right two types can be chosen




## CL9005

材质: 不锈钢SUS304、SUS316  
表面处理: 镜光、拉丝  
特点:  
安装方便快捷  
最大可以开启180度  
Material:Stainlesssteel(SUS304、SUS316)•Finish:Bright Polishing; Wiredrawing Polishing Features  
Easy and fast installation  
It can be opened up to 180 degrees




## CL9006

材质: 不锈钢SUS304、SUS316  
表面处理: 抛光、拉丝  
特点:  
抗强度、扭力、磨损性强  
可拆卸式铰链, 安装方便快捷  
Material:Stainless steel(SUS304、SUS316)  
Finish: :Bright Polishing; Wiredrawing Polishing Features  
Strong strength, torsion and wear resistance  
Removable hinge, easy and fast installation




## CL9007

材质: 不锈钢(SUS304)  
表面处理: 抛光  
特点:  
全不锈钢实心铸造, 承重性强  
采用不锈钢材质, 耐腐蚀性优异  
Material:StainlessSteel(SUS304)  
Finish: Wiredrawing Polishing  
Features:  
All stainless steel solid casting, strong weight multiplication  
Stainless steel material, excellent performance




## CL9008

材质: 不锈钢(SUS304)  
表面处理: 抛光  
特点:  
全不锈钢实心铸造, 承重性强  
采用不锈钢材质, 耐腐蚀性优异  
Material:Stainless Steel(SUS304)  
Finish:Wiredrawing Polishing  
Features:  
All stainless steel solid casting, strong weight multiplication  
Stainless steel material, excellent performance



## CL9009

材质: 不锈钢(SUS304)  
表面处理: 拉丝、抛光  
特点:  
最大开启角度180度  
采用不锈钢材质, 耐腐蚀性优异  
Material:Stainless Steel(SUS304)  
Finish:Wiredrawing Polishing、Bright polishing Features:  
Low profile with 180 degree opening angle  
Stainless steel material, excellent performance



单耳铰	单耳铰
Single Ear Hinge	Single Ear Hinge
不锈钢	不锈钢
Stainless Steel	Stainless Steel
连杆铰	连杆铰
Connecting Rod	Connecting Rod
单耳铰	单耳铰
Single Ear Hinge	Single Ear Hinge
电筒铰	电筒铰
Spotlight Hinge	Spotlight Hinge
超能铰	超能铰
Super Hinge	Super Hinge
平面铰	平面铰
Flat Hinge	Flat Hinge
自由旋转铰	自由旋转铰
Free Rotation Hinge	Free Rotation Hinge
厚板铰	厚板铰
Thick Plate Hinge	Thick Plate Hinge
插扣铰	插扣铰
Insert Hinge	Insert Hinge
铰链	铰链
Hinge	Hinge
铰链	铰链
Hinge	Hinge